

Milan

ARCTIC CIRCLE  
interceptando  
la ligereza




ARCTIC CIRCLE  
INTERCEPTING THE LIGHTNESS

Es en los polos del planeta donde intercepta el eje de rotación de la Tierra con la esfera celeste. Guiado por este suceso, Arctic Circle se caracteriza por el uso de las cintas de tejido dispuestas radialmente, las cuales se van hilvanando para confluir en el centro y acoger a la tulipa por uno de sus polos. A pesar de ser una pieza sólida y firme, el juego de las cintas sobrepuestas una detrás de otra aportan ligereza a la lámpara, evocando a las capas y bloques de hielo que transcurren a lo largo de océano Ártico. La colección Arctic Circle tiene la facultad contradictoria de desprender aire fresco para crear un clima cálido. Como inspirados en una postal del polo norte, esta colección está disponible en verde turquesa y crema, además de tres tamaños combinables entre sí.




REF. 7015+4006





DETALLE - DETAIL. REF. 4014+4015+4016




DETALLE - DETAIL. REF. 4004+4005+4006

ARCTIC CIRCLE



REF. 7014+4016

ARCTIC CIRCLE



REF. 1 - 7014+4016  
REF. 2 - 7014+4014

ARCTIC CIRCLE

It is at both poles of the planet where the Earth's axis of rotation intersects with the celestial sphere. Guided by this event, Arctic Circle is characterized by the use of fabric ribbons arranged radially, which are linked together to converge in the centre and join with the lampshade at one of its poles. Despite being a solid and firm piece, the play of overlapping ribbons one after the other gives the lamp a lightweight quality, evoking the layers and blocks of ice that run along the Arctic Ocean. The Arctic Circle collection has the contradictory ability to emanate cool air while creating a warm climate. Inspired by a postcard from the North Pole, this collection is available in turquoise green and cream, as well as in three sizes that can be combined with each other.




REF. 7014+4006

ARCTIC CIRCLE



## Arctic circle W.




## Código / Code Acabados / Finishes


7014 ● Lacado blanco texturado  
Textured white lacquering (RAL 9016)

## Datos técnicos / Technical data

Ø150 mm x 102 mm

1 x G9 Lámpara /  
G9 Bulb retrofit

 led 4,8 W Cod. 2024  
600 lumen | 2.700K | CRI 80  
No Dimable / Not Dimmable


 led 4 W Cod. 2015  
480 lumen | 2.700K | CRI 80  
Dimable / Dimmable

Clase I: Aislamiento básico  
Class I: Basic insulation

ESP. Base dónde se aloja el portalámparas G9 y sota base, estampadas en acero. Acabadas en lacado blanco texturado (RAL 9016). Pantalla difusora en vidrio soplado opal satinado al ácido. Fijación de la pantalla difusora de vidrio, mediante sistema de tres muelles internos fijados en el soporte.


ENG. Base where G9 lamp holder is located and back base, in stamped steel. Finished in textured white lacquering (RAL 9016). Opal triplex acid-etched blown glass shade diffuser. Glass diffuser shade fixing system, through a system of three internal springs fixed on the support.

## Accesorios / Accessories




4014 ● Pantalla de cinta color verde turquesa.  
Ribbon shade in turquoise green colour.

4004 ● Pantalla de cinta color crema.  
Ribbon shade in cream colour.



4015 ● Pantalla de cinta color verde turquesa.  
Ribbon shade in turquoise green colour.


4005 ● Pantalla de cinta color crema.  
Ribbon shade in cream colour.



4016 ● Pantalla de cinta color verde turquesa.  
Ribbon shade in turquoise green colour.

4006 ● Pantalla de cinta color crema.  
Ribbon shade in cream colour.

## Arctic circle S.




## Código / Code Acabados / Finishes


7015 ● Lacado blanco texturado  
Textured white lacquering (RAL 9016)

## Datos técnicos / Technical data

Ø150 mm | H. 3.000 mm

1 x G9 Lámpara /  
G9 Bulb retrofit

 led 4,8 W Cod. 2024  
600 lumen | 2.700K | CRI 80  
No Dimable / Not Dimmable

 led 4 W Cod. 2015  
480 lumen | 2.700K | CRI 80  
Dimable / Dimmable

Clase II: Aislamiento básico  
más aislamiento reforzado  
Class II: Basic insulate plus  
reinforced insulation.

ESP. Base dónde se aloja el portalámparas G9 y sota base, estampadas en acero. Acabadas en lacado blanco texturado (RAL 9016). Pantalla difusora en vidrio soplado opal satinado al ácido. Fijación de la pantalla difusora de vidrio, mediante sistema de tres muelles internos fijados en el soporte. Modelo suspendido mediante cable eléctrico negro de 3 metros de longitud.

ENG. Base where G9 lamp holder is located and back base, in stamped steel. Finished in textured white lacquering (RAL 9016). Opal triplex acid-etched blown glass shade diffuser. Glass diffuser shade fixing system, through a system of three internal springs fixed on the support. Model suspended by black electrical cable. Length: 3 meters.

ESP. Pantalla decorativa translúcida mediante sistema de cintado realizado artesanalmente. Acabados en verde turquesa y crema.

ENG. Translucent decorative lampshade using an artisan taping system. Finishes in turquoise green and cream.



REF. 7015+4015

Dirección de arte y diseño | Art direction & design: P.A.R  
Fotografía | Photography: Enric Badrinas, Alvaro Picca  
Textos | Texts: P.A.R  
Renders | Renders: Alga Studio

Arquímedes, 24  
08097 Hospitalet de Llobregat  
Barcelona / Spain  
T. +34 93 336 99 66  
F. +34 93 336 99 60  
milan-iluminacion.com  
@milanlighting

BACK COVER PHOTO –  
FOTO DE CONTRACUBIERTA  
REF. 7015+4006

